

**Publications**

**Reviewed Journal Articles**

1. Westerlund, T., Hatakka, L., Karlsson, K.H., A model for optimizing glass batch compositions, *Journal of the American Ceramic Society*, 66 (1983) 574-579.
2. Hatakka, L., Karlsson, K. H., Optimisation of batch costs for an industrial furnace, *Glass Technology*, 27 (1986) 17-20.
3. Arstila, H., Hupa, L., Vedel, E., Ylänen, H., Hupa, M., The sintering range of porous bioactive glasses *Glass Technology*, 46 (2005) 138-141.
4. Hupa, L., Bergman, R., Fröberg, L., Vane-Tempest, S., Hupa, M., Kronberg, T., Pesonen-Leinonen, E., Sjöberg, A.M. Chemical resistance and cleanability of glazed surfaces, *Surface Science*, 584 (2005) 113-118.
5. Kuisma, R., Fröberg, L., Kymäläinen, H.R., Pesonen-Leinonen, E., Piispanen, M., Melamies, P., Hautala, M., Sjöberg, A.M., Hupa, L. Topography and cleanability of uncoated and fluoropolymer, zirconia and titania coated ceramic glazed surfaces, *Journal of the European Ceramic Society*, 27 (2007) 101-108.
6. Arstila, H. Vedel, E., Hupa, L. Factors affecting crystallization of bioactive glasses, *Journal of the European Ceramic Society*, 27 (2007) 1543-1546.
7. Fröberg, L., Kronberg, T., Hupa, L., Hupa, M. Influence of firing parameters on phase composition of raw glazes, *Journal of the European Ceramic Society*, 27 (2007) 1671-1675.
8. Fröberg, L., Kronberg, T., Törnblom, S., Hupa, L. Chemical durability of glazed surfaces, *Journal of the European Ceramic Society*, 27 (2007) 1811-1816.
9. Kronberg, T., Ritschkoff, A.C., Mahlberg, R., Mannila, J., Kallio, M., Vesa, A., Hupa, L. Soil-resistant surfaces for traditional ceramics, *Journal of the European Ceramic Society*, 27 (2007) 1775-1780.
10. Määttä, J., Piispanen, M., Kuisma, R., Kymäläinen, H.-R., Uusi-Rauva, A., Hurme, K.-R., Areva, S., Sjöberg, A.-M., Hupa, L. Effect of coating on cleanability of glazed surfaces, *Journal of the European Ceramic Society*, 27(16) (2007) 4555-4560.
11. Vedel, E, Arstila, H., Hupa, L. and Hupa, M. Control of forming properties of bioactive glasses. *Glass Technology*, 48 (2007) 191-195.
12. Arstila, H., Hupa, L., Karlsson, K.H. and Hupa, M. In vitro bioactivity of partly crystallized glasses. *Glass Technology*, 48 (2007) 196-199.
13. Määttä, J., Piispanen, M., Kymäläinen, H.R., Uusi-Rauva, K.H., Areva, S., Sjöberg, A.M., Hupa, L. Effects of UV-radiation on the cleanability of titanium dioxide-coated glazed ceramic tiles. *Journal of the European Ceramic Society*, 27(16) (2007) 4569-4574.
14. Munukka, E., Leppäranta, O., Korkeamäki, M., Vahtio, M., Peltola, T., Zhang, D., Hupa, L., Ylänen, H., Salonen, J., Viljanen, M.K., Eerola, E., Bactericidal effects of bioactive glasses on clinically important aerobic bacteria. *Journal of Materials Science: Materials in Medicine*, 19(1) (2008) 27-32.
15. Leppäranta, O., Vahtio, M., Peltola, T., Zhang D., Hupa, L., Hupa, M., Ylänen, H., Salonen, J.I., Viljanen, M.K., Eerola, E. Antibacterial effect of bioactive glasses on

- clinically important anaerobic bacteria *in vitro*. *Journal of Materials Science: Materials in Medicine*, 19(2) (2008) 547-551.
16. Arstila, H., Hupa, L., Karlsson, K.H., Influence of heat treatment on crystallization of bioactive glasses, *Journal of Non-Crystalline Solids*, 354 (2008) 722-728.
  17. Karlsson, K.H, Hupa, L. Thirty-five years of guided tissue engineering, *Journal of Non-Crystalline Solids*, 354 (2008) 717-721.
  18. Fröberg, L., Hupa, L., Topographic characterization of glazed surfaces, *Applied Surface Science*, (2008), 254(6), 1622-1629.
  19. Zhao, D., Moritz, N., Vedel, E., Hupa, L., Aro, H.T. Mechanical verification of soft-tissue attachment on bioactive glasses and titanium implants, *Acta Biomaterialia*, 4 (4) (2008) 1118-1122.
  20. Zhang, D., Hupa, M., Hupa, L. In situ pH within particle beds of bioactive glasses. *Acta Biomaterialia*, 4(5) (2008) 1498-1505.
  21. Zhang, D., Hupa, M., Aro, H. T, Hupa, L. Influence of fluid circulation on in vitro reactivity of bioactive glass particles. *Materials Chemistry and Physics*, 111(2-3) (2008) 497-502.
  22. Vedel, E., Arstila, H., Ylänen, H., Hupa, L., Hupa, M. Predicting physical and chemical properties of bioactive glasses from chemical composition. Part 1. Viscosity characteristics. *Glass Technology: European Journal of Glass Science and Technology, Part A*, 49(6) (2008) 251-259.
  23. Arstila, H., Vedel, E., Hupa, L., Hupa, M. Predicting physical and chemical properties of bioactive glasses from chemical composition. Part 2: devitrification characteristics. *Glass Technology: European Journal of Glass Science and Technology, Part A*, 49(6) (2008) 260-265.
  24. Fröberg, L., Hupa, L., Hupa, M. Corrosion of the crystalline phases of matte glazes in aqueous solutions. *Journal of the European Ceramic Society*, 29(1) (2009) 7-14.
  25. Zhang, D., Vedel, E., Hupa, L., Aro, H.T. Predicting physical and chemical properties of bioactive glasses from chemical composition. Part 3. In vitro reactivity of glasses. *Glass Technology: European Journal of Glass Science and Technology, Part A*, 50(1) (2009) 1-8.
  26. Vedel, E., Zhang, D., Arstila, H., Hupa, L., Hupa, M. Predicting physical and chemical properties of bioactive glasses from chemical composition. Part 4. Tailoring compositions with desired properties. *Glass Technology: European Journal of Glass Science and Technology, Part A*, 50(1) (2009) 9-16.
  27. Piispanen, M., Määttä, J., Areva, S., Sjöberg, A.-M., M., Hupa, M., Hupa, L. Chemical resistance and cleaning properties of coated glazed surfaces, *Journal of the European Ceramic Society*, 29(10) (2009) 1855-1860.
  28. Fröberg, L., Kronberg, T., Hupa, L. Effect of soaking time on phase composition and topography and surface microstructure in vitrocryalline whiteware glazes, *Journal of the European Ceramic Society*, 29(11) (2009) 2153-2161.
  29. Mantzos, T., Chatzistavrou, X., Roether, J.A., Hupa, L., Arstila, H., Boccaccini, A.R. Non-crystalline composite tissue engineering scaffolds using boron-containing bioactive glass and poly(D,L-lactic acid) coatings, *Biomedical Materials*, 4(5) (2009) 055002/1-055002/12.

30. Zhang, D, Leppäranta, O., Munukka, E. ,Ylänen, H., Viljanen, M.K., Eerola, E., Hupa, M., Hupa, L. Antibacterial effects and dissolution behavior of six bioactive glasses, *Journal of Biomedical Materials Research, Part A*, 93A(2) (2010) 475-483.
31. Karlsson, K.H., Hupa, L., Cable, M. Erik Laxman, a Pioneering 18th-Century Glass Technologist, *Journal of Glass Studies*, 52 (2010) 157-166.
32. Hupa, L., Karlsson, K.H., Aro, H. and Hupa, M., Comparison of in vitro and in vivo reactions of bioactive glasses, *Glass Technology: European Journal of Glass Science and Technology, Part A*, 51(2) (2010) 89-92.
33. Fagerlund, S., Ek, P., Hupa, M., Hupa, L. On determining chemical durability of glasses. *Glass Technology: European Journal of Glass Science and Technology, Part A*, 51(6) (2010) 235-240.
34. Piispanen, M., Hupa, L. *In Situ* Analysis of Corrosion of Glazed Surfaces Using Confocal Optical Microscopy. *Materiały Ceramiczne/Ceramic Material*, 62 (4) (2010) 560-564.
35. Fagerlund, S., Hupa, L. Crystallization of 45S5 during isothermal heat treatment. *Materiały Ceramiczne/Ceramic Material*, 62(3) (2010) 349-354.
36. Piispanen, M., Kronberg, T., Areva, S., Hupa, L. Effect of mechanical and chemical wear on soil attachment and cleanability of sanitaryware with additional coatings. *Journal of the American Ceramic Society*, 94(3) (2011) 951-958.
37. Laattala, K., Huhtinen, R., Puska, M., Arstila, H., Hupa, L., Kellomäki, M., Vallittu, P.K. Bioactive composite for keratoprosthesis skirt, *Journal of the Mechanical Behavior of Biomedical Materials*, 4(8) (2011) 1700-1708.
38. Massera, J., Claireaux, C., Lehtonen, T., Tuominen, J., Hupa, L., Hupa, M., Control of the thermal properties of slow bioresorbable glasses by boron addition, *Journal of Non-Crystalline Solids*, 357 (2011) 3623-3630.
39. Piispanen, M., Hupa, L. Comparison of self-cleaning properties of three titania coatings on float glass, *Applied Surface Science*, 258 (2011) 1126-1131.
40. Fagerlund, S., Massera, J., Hupa, L., Hupa, M. T-T-T behaviour of Bioactive Glasses 1-98 and 13-93, *Journal of European Ceramic Society*, 32(11) (2012) 2731-2738.
41. Erol, M.M., Mouriño, V, Newby, P., Chatzistavrou, X., Hupa, L., Boccaccini, A.R., Copper releasing boron containing bioactive glass-based scaffolds coated with alginate for bone tissue engineering, *Acta Biomaterialia*, 8(2) (2012) 792-801.
42. Massera, J., Fagerlund S., Hupa, L., Hupa, M. Crystallization mechanism of the bioactive glasses 45S5 and S53P4, *Journal of the American Ceramic Society*, 95(2) (2012) 607-613.
43. Varila, L., Fagerlund, S., Hupa, L., Lehtonen, T., Tuominen, J. Surface reactions of bioactive glasses in buffered solutions, *Journal of the European Ceramic Society*, 32(11) (2012) 2757-2763.
44. Zhang, D., Jain, H., Hupa, M., Hupa, L. In Vitro Degradation and Bioactivity of Tailored Amorphous Multi Porous Scaffold Structure, *Journal of the American Ceramic Society*, 95(9) (2012) 2687-2694.
45. Fagerlund, S., Massera, J., Moritz, N., Hupa, L., Hupa, M. Phase composition and in vitro bioactivity of porous implants made of bioactive glass S53P4. *Acta Biomaterialia*, 8(6) (2012) 2331-2339.

46. Varila, L., Lehtonen, T., Tuominen, J., Hupa, M., Hupa, L. In vitro behaviour of three biocompatible glasses in composite implants. *Journal of Materials Science: Materials in Medicine*, 23(10) (2012) 2425-2435.
47. Fagerlund, S., Ek, P., Hupa, M., Hupa, L. Dissolution kinetics of a bioactive glass by continuous measurement. *Journal of the American Ceramic Society*, 95(10) (2012) 3130-3137.
48. Massera, J., Hupa, L., Hupa, M. Influence of partial substitution of CaO with MgO on the thermal properties and in vitro reactivity of the bioactive glass S53P4. *Journal of Non-Crystalline Solids*, 358(18-19)(2012) 2701-2707.
49. Nganga, S., Zhang, D., Moritz, N., Vallittu, P., Hupa, L. Multi-layer porous fiber-reinforced composites for implants: in vitro calcium phosphate formation in the presence of bioactive glass, *Dental Materials*, 28(11) (2012) 1134-1145.
50. Massera, J., Bourhis, K., Petit, L., Couzi, M., Hupa, L., Hupa, M., Videau, J.J., Cardinal, T. Effect of the glass composition on the chemical durability of zinc-phosphate-based glasses in aqueous solutions, *Journal of Physics and Chemistry of Solids*, 74 (1) (2013) 121-127.
51. Fagerlund, S., Hupa, L., Hupa, M. Dissolution patterns of biocompatible glasses in 2-amino-2-hydroxymethyl-propane-1,3-diol (Tris) buffer, *Acta Biomaterialia*, 9(2) (2013) 5400-10.
52. Huhtinen R., Sandeman S., Rose S., Fok E., Howell C., Froberg L., Moritz N., Hupa L., Lloyd A. Examining porous bio-active glass as a potential osteo-odonto-keratoprosthesis skirt material, *Journal of materials science: Materials in medicine*, 24(5) (2013) 1217-1227
53. Massera, J., Petit, L., Cardinal, T., Videau, J.J., Hupa, M., Hupa, L. Thermal properties and surface reactivity in simulated body fluid of new strontium ion-containing phosphate glasses, *Journal of Materials Science: Materials in Medicine*, 24(6) (2013) 1407-1416.
54. Abdulmajeed, A. A., Kokkari, A. K., Käpylä, J., Massera, J., Hupa, L., Vallittu, P.K., Närhi, T.O. In vitro blood and fibroblast responses to BisGMA-TEGDMA/bioactive glass composite implants, *Journal of Materials Science: Materials in Medicine*, 25(1) (2014) 151-162.
55. Massera, J., Hupa, L. Influence of SrO substitution for CaO on the properties of bioactive glass S53P4. *Journal of Materials Science: Materials in Medicine* 25(3) (2014) 657-668.
56. Massera, J., Ahmed, I., Petit, L., Aallos, V., Hupa, L. Phosphate-based glass fiber vs. bulk glass: Change in fiber optical response to probe in vitro glass reactivity. *Materials Science & Engineering, C: Materials for Biological Applications*, 37 (2014) 251-257.
57. Bourhis, K., Shoptuyuk, Y., Massera, J., Aallos, V., Jouan, T., Boussard-Plédel, C., Bureau, B., Petit, L., Koponen, J., Hupa, L., Hupa, M., Ferraris, M. Thermal and structural characterization of erbium-doped borosilicate fibers with low silica content containing various amounts of P<sub>2</sub>O<sub>5</sub> and Al<sub>2</sub>O<sub>3</sub>, *Optical Materials*, 37 (2014) 87-92.
58. Massera, H., Vassallo-Breillot, M., Törngren, B., Glorieux, B., Hupa, L. Effect of CeO<sub>2</sub> doping on thermal, optical, structural and in vitro properties of a phosphate based bioactive glass, *Journal of Non-Crystalline Solids*, 402 (2014) 28-35.
59. Massera, J., Sevrette, B., Petit, L., Koponen, J., Törngren, B., Glorieux, B., Hupa, L., Hupa, M. Effect of partial crystallization on the thermal, optical, structural and Er<sup>3+</sup>

- luminescence properties of silicate glasses, *Materials Chemistry and Physics*, 147 (3) (2014) 1099-1109.
60. Massera, J., Gluchowski P., Lastusaari, M., Rodrigues, L.C.V., Petit, L., Hölsä, J., Koponen, J., Hupa, L., Hupa, M. New alternative route for the preparation of phosphate glasses with persistent luminescence properties. *Journal of European Ceramic Society*, 35 (2015) 1255-61.
  61. Bourhis, K., Massera, J., Petit, L., Ihalainen, H., Fargues, A., Cardinal, T., Hupa, L., Hupa, M., Dussauze, M., Rodriguez, V., Boussard-Plédel, C., Bureau, B., Roiland, C., Ferraris, M. Influence of P<sub>2</sub>O<sub>5</sub> and Al<sub>2</sub>O<sub>3</sub> content on the structure of erbium-doped borosilicate glasses and on their physical, thermal, optical and luminescence properties. *Materials Research Bulletin*, 63 (2015) 41-50.
  62. Vallittu, P.K., Närhi, T.O. Fiber glass - bioactive glass composite for bone replacing and bone anchoring implants, *Dental Materials*, 31(4) (2015) 371-381.
  63. Massera, J., Mayran, M., Rocherullé, J., Hupa, L. Crystallization behavior of phosphate glasses and its impact on the glasses' bioactivity. *Journal of Materials Science*, 50(8) (2015) 3091-3102.
  64. Das, I., Medda, S.K., De, G., Fagerlund, S., Hupa, L., Puska, M.A., Vallittu, P.K. Hierarchically designed bioactive glassy nanocoatings for faster and uniformly dense apatite growth. *Journal of American Ceramic Society*, 98 (8), (2015), 2428-2347.
  65. Ojansivu, M., Vanhatupa, S., Björkvik, L., Häkkänen, H., Kellomäki, M., Autio, R., Ihalainen, J., Hupa, L., Miettinen, S. Bioactive glass ions as strong enhancers of osteogenic response in human adipose stem cell, *Acta Biomaterialia* 21 (2015) 190-203.
  66. Massera, J., Petit, L., Koponen, J., Glorieux, B., Hupa, L., Hupa, M. Er<sup>3+</sup>-Al<sub>2</sub>O<sub>3</sub> nanoparticles doping of borosilicate glass, *Bulletin of Materials Science*, Vol. 38, No. 5, September 2015, pp. 1–4.
  67. Massera, J., Shpotyuk, Y., Sabatier, F., Jouan, T., Boussard-Plédel, C., Roiland C., Bureau, B., Petit, L., Boetti, N.G., Milanese, D., Hupa, L. Processing and characterization of novel borophosphate glasses and fibers for medical applications, *Journal of Non-Crystalline Solids* 425 (2015) 52–60.
  68. Bourhis, K., Massera, J., Petit, L., Koponen, J., Fargues, A., Cardinal, T., Hupa, L., Hupa, M., Dussauze, M., Rodriguez, V., Ferraris, M. Erbium-doped borosilicate glasses containing various amounts of P<sub>2</sub>O<sub>5</sub> and Al<sub>2</sub>O<sub>3</sub>: Influence of the silica content on the structure and thermal, physical, optical and luminescence properties, *Materials Research Bulletin* 70 (2015) 47-54.
  69. Massera, J., Kokkari, A., Närhi, T., Hupa, L. The influence of SrO and CaO in silicate and phosphate bioactive glasses on human gingival fibroblasts, *Journal of Materials Science: Materials in Medicine* (2015) 25 (6) 1-9.
  70. Massera J., Gaussiran M., Gluchowski P., Lastusaari M., Hupa L., Petit L. Processing and characterization of new phosphate glasses containing CaAl<sub>2</sub>O<sub>4</sub>:Eu<sup>2+</sup>Nd<sup>3+</sup> and SrAl<sub>2</sub>O<sub>4</sub>:Eu<sup>2+</sup>,Dy<sup>3+</sup> microparticles, *Journal of European Ceramic Society*, (2015) 35 (14) 3863-3871.
  71. Blochberger, M., Hupa, L., Brauer, D.S. Influence of zinc and magnesium substitution on ion release from Bioglass® 45S5 at physiological and acidic pH. *Biomedical Glasses* (2015) 1, 106–120.

72. Sulaiman, T.A., Abdulmajeed, A.A., Shahramian, K., Hupa, L., Donovan, T.E., Vallittu, P., Närhi, T.O. Impact of gastric acidic challenge on surface topography and optical properties of monolithic zirconia. *Dental Materials*, 31 (2015) 1445-1452.
73. Massera, J., Petit, L., Koponen, J., Glorieux, B., Hupa, L., Hupa, M. Er<sup>3+</sup>-Al<sub>2</sub>O<sub>3</sub> nanoparticles doping of borosilicate glass. *Bulletin of Materials Science* (2015), 38(5) 1407-1410.
74. Posti, J.P., Piitulainen, J.M., Hupa, L., Fagerlund, S., Frantzén, J., Aitasalo, K.M.J., Vuorinen, V., Serlo, W., Syrjänen, S., Vallittu, P.K. A glass fiber-reinforced composite - bioactive glass cranioplasty implant: a case study of an early development stage implant removed due to a late infection. *Journal of the Mechanical Behavior of Biomedical Materials* (2016) 55, 191-200.
75. Hupa, L., Fagerlund, S., Massera, J., Björkvik, L. Dissolution behaviour of the bioactive glass S53P4 when sodium is replaced by potassium, and calcium with magnesium or strontium, *Journal of Non-Crystalline Solids*, 432 (2016), 41-46.
76. Massera, J. Gaussiran, M., Gluchowski, P., Lastusaari, M., Petit, L., Hölsä, J., Hupa, L. Effect of the glass melting condition on the processing of phosphate- based glass-ceramics with persistent luminescence properties, *Optical Materials*, 52 (2016), 56-61.
77. Das, I., De, Goutam, Hupa, L., Vallittu, P.K. Porous SiO<sub>2</sub> nanofiber grafted novel bioactive glass-ceramic coating: A structural scaffold for uniform apatite precipitation and oriented cell proliferation on inert implant, *Materials Science and Engineering C* 62 (2016) 206–214.
78. Behraves, E., Hupa, L., Salmi, T., Murzin. Alumina ceramic foams as catalyst supports. *RSC Catalysis Book*, Vol. 28. 2016, 28-50.
79. Brückner, R., Tylkowski, M., Hupa, L., Brauer, D.S. Controlling the ion release from mixed alkali bioactive glasses by varying modifier ionic radii and molar volume. *Journal of Materials Chemistry B*, 2016 accepted.
80. Björkvik, L., Wang, X., Hupa, L. Dissolution of bioactive glasses in acidic solutions with the focus on lactic acid. *International Journal of Applied Glass Science*, 2016, in press. DOI: 10.1111/ijag.12198
81. Balasubramanian, P., Hupa, L., Jokic, B., Tallia, F., Solanki, A., Jones, J., Gruenewald, A., Detsch, R., Boccaccini, A. Ion Release, Hydroxyapatite Conversion and Cytotoxicity of Boron-containing Bioactive Glass Scaffolds. *International Journal of Applied Glass Science*, in press.

### **Book Sections**

1. Hupa, Leena. Melt-derived bioactive glasses, in *Bioactive glasses*, Ed. Ylänen, Heimo, Wood Head Publishing, 2011, 3-28.
2. Hupa, Leena and Yli-Urpo, Antti. Dental applications of bioactive glasses, In *Bio-glasses: An introduction*. Eds. Jones, Julian and Clare, Alexis. John Wiley & Sons, 2012, 159-175.
3. Hupa, Leena. Tailoring bioactive glasses, in *Tissue Engineering and Regenerative Medicine: A Nano Approach*. Eds. Murugan Ramalingam, Pekka Vallittu, Ugo Ripamonti, Wan-Ju, L. CRC 2012, 43-58.
4. Hupa, Leena and Fagerlund, Susanne. Bioactive glasses, in *Handbook of Oral Biomaterials*, Ed. J Matinlinna, Pan Stanford Publishing, Singapore, 2014, 281-315.

5. Fagerlund, S., Hupa, L. Melt-derived bioactive silicate glasses, in Bioactive glasses – Fundamentals, Technology and Applications, Eds. Aldo R. Boccaccini, Delia S. Brauer, Leena Hupa, RSC Smart Materials, accepted.
6. Hupa, L., Karlsson, K.H. Tailoring of bioactive glasses, in Bioactive glasses – Fundamentals, Technology and Applications, Eds. Aldo R. Boccaccini, Delia S. Brauer, Leena Hupa, RSC Smart Materials, accepted.

### **Reviewed Conference Proceedings**

1. Hatakka, L., Melting kinetics and physical properties of tableware glasses with high alumina contents, Collected papers, XIV International Congress on Glass, Vol. III (1986) 29-34.
2. Hatakka, L., Aluminous raw materials in glass melting, Proceedings of the 1<sup>st</sup> International Conference on Advances in the Fusion of Glass, Ed. Bickford, D. F. The American Ceramic Society, Westerville, Ohio, 1988, 46.146.13
3. Hupa, L., Graeffe, M., Karlsson, K.H.: The influence of glass composition on refining, Bol. Soc. Esp. Ceram. Vid., 31-C (1992) 6
4. Siikamäki, R., Hupa, L.: The influence of minor components on copper colouring of a soda-lime glass, Proc. Int. Symp. on Glass Problems, Eds. Akçakaya, R., Erinc, N., Albayrak, G., İşevi, S., ŞİŞECAM, Istanbul 1996
5. Siikamäki, R., Hupa, L.: Utilisation of EOL CRT-glass as a glaze raw material, Recycling and Reuse of Glass Cullet, Eds. Dhir, R.K., Limbachiya, M.C., Dyer, T.D., Thomas Telford Books, London 2001
6. Kronberg, T., Hupa, L., Fröberg, K.: Optimizing of Glaze Properties, Ceramic Engineering and Science Proceedings (2001), 22(2), Materials & Equipment and Whitewares), 179-189.
7. Karlsson, K., Backman, R., Hupa, L., Models for liquidus temperatures, Proceedings: 2002 Glass Odyssey, 6th ESG Conference, July 2-6. (2002), Montpellier, France, CD-Rom.
8. Kronberg, T., Hupa, L., Fröberg, K., Modelling of firing behaviour of raw glazes, Advances in Science and Technology (Faenza Italy), 34 (2003), (Science for New Technology of Silicate Ceramics) 55-62.
9. Arstila, H., Vedel, E., Hupa, L., Ylänen, H., Hupa, M., Measuring the devitrification of bioactive glasses, Key Engineering Materials Vols. 254-256 (2004) 67-70.
10. Fröberg, L., Hupa, L., Hupa, M., Porous bioactive glasses with controlled mechanical strength, Key Engineering Materials Vols. 254-256 (2004), 973-976.
11. Fröberg, L., Vane-Tempest, S., Hupa, L. Surface composition and topography of fast-fired raw glazes, Qualicer 2004, VIII World Congress on Ceramic Tile Quality, Castellón, Spain, Vol. 1 (2004) 143.
12. Vane-Tempest, S., Fröberg, L., Kronberg, T., Hupa, L. Chemical resistance of fast-fired raw glazes in solutions containing cleaning agents, acids and bases, Qualicer 2004, VIII World Congress on Ceramic Tile Quality, Castellón, Spain, Vol 1 (2004) 155.
13. Kronberg, T., Hupa, L., Fröberg, K., Durability of Mat Glazes in Hydrochloric Acid Solution, Key Engineering Materials Vols. 264-268 (2004) 1565-1568.
14. Hupa, L., Fröberg, L., Kronberg, T., Vane-Tempest, S., Sintering reactions in fast-firing of raw glazes, Ceramika/Ceramics Vol 84 (2004) 69-73.

15. Arstila, H., Zhang, D., Vedel, E., Hupa, L., Ylänen, H., Hupa, M., Bioactive glass compositions suitable for repeated heat-treatments, *Key Engineering Materials Vols. 284-286* (2005) 925-928.
16. Zhang, D., Vedel, E., Hupa, L., Ylänen, H., Hupa, M., In vitro characterization of bioactive glasses, *Key Engineering Materials Vols. 284-286* (2005) 481-484.
17. Zhang, D., Munukka, E., Leppäranta, O., Eerola, E., Viljanen, M.K., Ylänen, H., Hupa, L., Hupa, M., Salonen, J. Comparison of Antibacterial Effect of Three Bioactive Glasses, *Key Engineering Materials Vols. 309-311* (2006) 345-348.
18. Arstila, H., Tukiainen, M., Hupa, L., Ylänen, H., Kellomäki, M and Hupa, M. In vitro reactivity of bioactive glass fibers. *Advances in Science and Technology Vol. 49* (2006) 246-251.
19. Piispanen, M., Fröberg, L., Kronberg, T., Areva, S., Hupa, L. Corrosion of glazes coated with functional films in detergent solutions, *Advances in Science and Technology Vol. 45* (2006) 156-161.
20. Kronberg, T., Hupa, L. and Fröberg, K. Melting behavior and surface structure of glazes containing wollastonite and dolomite. *Advances in Science and Technology Vol. 45* (2006) 590-595.
21. Fröberg, L. and Hupa, L., Ek, P. Methods for understanding the behaviour of matt glazes in water solutions typical for everyday life environments. *Polish Ceramic Bulletin, Ceramics 97* (2006) 185-191.
22. Zhang, D., Munukka, E., Hupa, L., Ylänen, H., Viljanen, M.K., Hupa, M., Factors controlling antibacterial properties of bioactive glasses, *Key Eng. Mat. Vols. 330-332* (2007) 173-176.
23. Zhang, D., Arstila, H., Vedel, E., Ylänen, H., Hupa, L., Hupa, M. In vitro behavior of fiber bundles and particles of bioactive glasses, *Key Eng. Mat. Vols. 361-363* (2008) 225-228.
24. Arstila, H., Tukiainen, M., Taipale, S., Kellomäki, M., Hupa, L. Liquidus temperatures of bioactive glasses. *Advanced Materials Research Vols. 39-40* (2008) 287-292.
25. Taipale, S., Ek, P., Hupa, M., Hupa, L. Continuous Measurement of the Dissolution Rate of Ions from Glasses. *Advanced Materials Research Vols. 39-20* (2008) 341-346.
26. Zhang, D., Ylänen, H.O., Hupa, M., Hupa, L., Factors affecting in vitro bioactivity of glasses, *Key Engineering Materials Vols. 396-398* (2009) 115-118.
27. Piispanen, M., Aromaa, M., Mäkelä, J.M., Hupa, L., Effect of Functional Coatings on Topographical Properties of Glass, in *Ceramics for Environmental and Energy Applications: Ceramic Transactions, Volume 217* (2010) 131 -139.
28. Fagerlund, S., Hupa, M., Hupa, L., Comparison of reactions of bioactive glasses in different aqueous solutions, in *Advances in Bioceramics and Biotechnologies: Ceramic Transactions, Volume 218* (2010) 101-113.
29. Hupa, L., Hupa, M., Recent Research on Composition Dependence of the Properties of Bioactive Glasses, in *Advances in Bioceramics and Biotechnologies: Ceramic Transactions, Volume 218* (2010) 145-156.

#### **Unrefereed conference proceedings**

1. Hatakka, L.; Kvaliteten som funktion av glaset's fysikaliska egenskaper, *Glastekn.Tidskr. 40*(1985) 39-44.



2. Hatakka, L. OGBC a program for batch optimisation, *Glass* 63(1986) 449-450.
3. Hupa, L. Working towards batch optimisation program for refining, *Glass* 70(1993) 12 488, 490.
4. Hupa, L., Karlsson, K.H., Graeffe, M.: Refining – physics and chemistry, *Glastekn. Tidskr.* 48 (1993) 2, 62-65.
5. Hupa, L. How does chemical composition control glass properties? *Glass* 72 (1995).
6. Hupa, L. Glass property optimisation program boosts refining studies, *Glass* 73 (1996).
7. Hupa, L., Karlsson, K.H., Vedel, E., Arstila, H., Jonson, B. High temperature properties of bioactive glasses, Proc. XX A.T.I.V. Conference, Parma Italy, 2005.
8. Piispanen, M., Määttä, J., Kronberg, T., Areva, S., Sjöberg, A.M., Hupa, L., Effect of chemical and mechanical wear on cleanability of functional and traditional ceramic surfaces, Proc. 10<sup>th</sup> ECers 2007, Berlin Germany, ISBN-3-87264-022-4 (CD-Rom) 2008.
9. Kronberg, T., Areva, S., Hupa, L., Piispanen, M. Cleanability of Functional and Traditional Ceramic Surfaces, Proc. 10<sup>th</sup> ECers 2007, Berlin Germany, ISBN-3-87264-022-4 (CD-Rom) 2008.
10. Fröberg, L., Kronberg, T., Hupa, L., Fröberg, K., and Hupa, M., Working towards better raw glaze quality, Proc. 10<sup>th</sup> ECers 2007, Berlin Germany, ISBN-3-87264-022-4 (CD-Rom) 2008.
11. Hupa, L., Karlsson, K.H., Aro, H. and Hupa, M., Comparison of in vitro and in vivo reactions of bioactive glasses, ICG 2007, Strasbourg France.
12. Siikamäki, R., and Hupa, L., Use of EOL CRT glass for moulded products, ICG 2007, Strasbourg France.
13. Kronberg, T., Piispanen, M., Areva, S. and Hupa, L. Cleanability and durability of easy-to-clean coatings on silicate surfaces, ICG 2007, Strasbourg France
14. Nicia, K., Hupa, M, Hupa, L., Coda Zabetta, E., Testing procedures for ceramic refractory Materials in bottom grid of biomass/waste-fired CFBs, Finnish-Swedish Flame Days 2009, January 28-29 2009, Naantali, Finland.
15. Fagerlund, S., Hupa, L., Crystallization of 45S5 during isothermal heat treatment, Proceedings of the 11th ECERS Conference, Krakow, 2009 433. CD-ROM.
16. Piispanen, M., Hupa, L. *In Situ* Analysis of Corrosion of Glazed Surfaces Using Confocal Optical Microscopy. Proceedings of the 11<sup>th</sup> ECERS Conference, Krakow, 2009, 729. CD-ROM.
17. Brázda, L., Hupa, L., Hupa, M., Helebrant, A. Influence of Na<sub>2</sub>O/K<sub>2</sub>O ratio on *in vitro* properties of bioactive glass, Proceedings of the 11th ECERS Conference, Krakow, 2009, 443. CD-ROM.
18. Piispanen, M., Hupa, L. Comparison of self-cleaning properties of three titania coatings on float glass. Proceedings of the 8<sup>th</sup> International Conference on Coatings on Glass and Plastics, Braunschweig, Germany, 2010 (ISBN-Nr.: 978-3-00-031387-5), 213.
19. Seppäläinen, E., Arffman, A., Rajala, M., Keskinen, J., Vainio, T., Fröberg, L, Hupa, L. New coating technology for producing off- and in-line TCO-glass. GPD China 2010.
20. Piispanen, M., Kronberg, T., Areva, S., Pimenoff, J., Hupa, L. Easy-to-clean coatings on glass and glazed surfaces, *Advances in Science and Technology* Vol. 66 (2010), 150-155.

21. Li, N., Hupa, L., Yrjas, P., Hupa, M. Laboratory study of corrosion of an alumina refractory by molten potassium salts. *Advances in Science and Technology* Vol. 70 (2010) 65-71.
22. Fagerlund, S., Ek, P., Hupa, L., Hupa, M. Dissolution kinetics of bioactive glasses by continuous measurement, *Proceedings of the International Congress on Glass ICG2010, Bahia, Brasil*, <http://www.abividro.org.br/icg2010/bookOfAbstracts/>
23. Fagerlund, S., Massera, J., Hupa, L., Hupa, M. T-T-T behaviour of Bioactive Glasses 1-98 and 13-93, *Proceedings of ECerS XII, Stockholm, 2011*.
24. Varila, L., Fagerlund, S., Hupa, L., Lehtonen, T., Tuominen, J. Surface reactions of bioactive glasses in buffered solutions, *Proceedings of ECerS XII, Stockholm, 2011*.
25. Piispanen, M., Fröberg, L., Haapanen, J., Aroma, M., Mäkelä, J.M., Siikamäki, R., The effect of nanoparticles on properties of glossy glazed surfaces, *Proceedings of ECerS XII, Stockholm, 2011*.
26. Seppäläinen, E., Meriläinen, P., Rajala, M., Tammela, S., Piispanen, M., Hupa, L., The TCO production window of the nAERO® process, *GPD, Tampere Finland 2011*
27. Ojansivu, M., Vanhatupa, S., Björkvik, L., Hakkanen, H., Kellomäki, M., Autio, R., Ihalainen, J. A., Hupa, L., Miettinen, S. Bioactive Glass Ions Enhance the Osteogenic Differentiation of Human Adipose Stem Cells, in *TISSUE ENGINEERING PART A Volume: 21 Pages: S152-S152 Supplement: 1. Proceedings of 4th TERMIS World Congress, Boston, MA, 2015*.
28. Puska, M., Aho, A.J., Moritz, N., Hupa, L., Kopperud, H.M., Vallittu, P.K. *Mechanical Properties of Bioactive Glass Modified PMMA Composites. 2014 IADR/PER Congress.*

#### **Master's Thesis**

Hatakka, Leena. Amber glass in colour feeder, (in Swedish), Åbo Akademi University 1981.

#### **Licentiate's Thesis**

Hatakka, Leena. A model for optimising glass compositions, Lic. Thesis (in Swedish), Åbo Akademi University 1984.

#### **Doctor's Thesis**

Hatakka, Leena. Natural aluminous raw materials in glass melting. Åbo Akademi University 1987.

#### **Patents/patent applications**

Nypelö, T., Ollila, F., Hupa, L., Vedel, E., Harlin, A., Widerholm, R., A system and method for manufacturing resorbable or bioactive glass or polymer fibers, *Eur. Pat. Appl. (2008), EP 1958925 A1 2008082, PCT Int. Appl. (2008), WO 2008099058 A1 20080821*.